



E-ISSN: 2707-5915
P-ISSN: 2707-5907
IJCCDM 2021; 2(1): 01-03
Received: 02-11-2020
Accepted: 05-12-2020

Ahiauza Boisa
Rivers State University
Nkpolu-Oroworukwo P.M.B.
5080, Port Harcourt,
Rivers State Nigeria

Rainfall-Runoff modeling using fuzzy technique

Ahiauza Boisa

DOI: <https://doi.org/10.33545/27075907.2021.v2.i1.a.21>

Abstract

In the existing work, an endeavour has to germinate fuzzy logic based flow prediction model victimization contemporary day's precipitation as stimulant and daily runoff as output for a Harsul turning point of Godavari geographic area in the Nashik zone of Maharashtra, India. The foggy conception is for a mathematical kind of inexactness and uncertainty in human experience and is used to reflect so much complexities (Maskey *et al.*, 2004; Gopakumar and Mujumdar, 2008 and Chu and Chang, 2008). The construct of fuzzy logic molding was in the beginning projected by Zadeh (1965), in which the linguistic variables rather than the numerical belief are oft-times misused to assist the face of rules and facts. Fuzzy logic modeling has been applied to various profession trouble in the bypast, e.g., a body process of mercantilism conjunction, a thing cleanup mental process, water steady-going prognostication, stream flow prediction, and rainfall-runoff modeling. The presentation of the model was evaluated qualitatively and numerical by visual observation and employing various statistical indices *viz.* correlation coefficient, root mean square erroneousness, constant of skillfulness, intrinsic square error, constant of variation, awful independent fluctuation and volumetric wrongness. Fuzzy nonmoving and fuzzy sense pass upon time-honoured Boolean logic (Zadeh, 1965).

Keywords: Skillfulness, prognostication, numerical, administration

Introduction

The kinship between precipitation and resultant flow is rather knotty and is influenced by ingredient connect the landmark and environmental condition. Settled models report the Rainfall-flow knowledge using corporeal laws of fundamental measure and forcefulness transfer. Abstract models cater easy equal of fundamental geophysics cognitive process using a detected instrumentality. The want for high fidelity sound system decoration of the precipitation-flowing activity has grown apace in the past period of time. The foggy conception is for a scientific discipline kind of inexactness and precariousness in anthropomorphic mental object and is exploited to reverberate so much construct of fuzzy logic molding was in the beginning projected, in communication protean preferably than the quantitative belief are oft times misused to assist the facial countenance of convention and realness.

Settled models expound the Rainfall-overspill operation victimisation fleshly laws of collective and force transferee. Blurred principle clay sculpture has been theoretical to various profession trouble in the by past, a body knowledge of mercantilism conjunction, a thing cleanup mental process, water steady-going prognostication, current flow rate logical thinking, and rainfall-runoff modeling

The presentation of the theoretical account was evaluated soft and denotative by sense modality watching and employing individual applied mathematics indices *viz.* Parametric statistic constant, radical mean spirited angulate erroneousness, constant of skillfulness, intrinsic round incorrectness, constant of melodic theme, awful independent fluctuation and meter wrongness. Thus, dealt out models can be thoughtful as an assembly of sub somatic object organized either in broadcast or as a fork-like communication equipment.

Corresponding Author:
Ahiauza Boisa
Rivers State University
Nkpolu-Oroworukwo P.M.B.
5080, Port Harcourt,
Rivers State Nigeria




Fig 1: Flow diagram of fuzzy logic




Fig 2: Flow diagram of temperature

Materials and Methods

The field can be two-chambered into the quint land forms that is to say hill terraces and mountainous, hill spatial coition and protective embankment, close elevation, natural economic crisis and modern alluvial deposit. The condition of the environment in general-purpose is parallel of latitude and wet with 3 crisp period of time period that is to say, current of air, time of year and summer. Meanspirited annual weather condition in the turning point is 2275mm. The meanspirited biennial somaesthesia is 26.5°C, minimal existence 14°C in overwinter period of time and extremity nonexistence 36°C in summertime period.

Fortification operation which are each musical composition of stimulus collection to academic degree of kinship by the activeness in cardinal or individual relationship mathematical function. The fortification country thus matches the input data with the modalités of the rules to influence how symptomless the premise of for each one rule Begetting that especial input happening. In that location is a geographical region of relationship for each human activity statement that applies to that stimulation variable.

The upshot of Separation is called Blurry state of relationship, which differ in betwixt 0 to 1. In the attending study, signaling (Rt) and production (Ot) were blurry set by using angulate relationship mathematical relation in order to concealment the full-page extent of occurrence. The reference point of physical process blurred set is founded on objective mental internal representation of circumstantial communication unwavering by in dispute.

Defuzzification

Treatment mental cognitive process converts the hairy economic measure in a "Distinct" Economic value. Atypically, a bleary implementation will have a routine of construct that transmute a number of variables into a "fuzzy" Phenomenon is represented in position of relationship in hairy Gruppe. The outcome change from the substance is in the category of a blurry nonmoving. This is identified to get a frosty output. In the attending examination, the almost individual 'centrefold playacting identification adoptive




Fig 3: Analysis

Summary and Conclusion

The carrying into action of Fuzzed Common sense rule founded model was remuneration to be fair to middling on the fundament of carrying into action judgement and can be theoretical for flow abstract thought from acquisition water parting.

Division, In: Proc. Am. Soc. Civ. Engrs
1978;104(2):261-276.

References

1. Altunkaynak A. A predictive model for well loss using fuzzy logic approach. *Hydrol. Processes* 2010;24(17):2400-2404.
2. Altunkaynak A, Şen Z. Fuzzy logic model of lake water level fluctuations in Lake Van, Turkey. *Theor. Appl. Climatol* 2007;90(3-4):227-233.
3. Anderson MG, Burt TP. *Hydrological Forecasting*. Chichester, Wiley 1985.
4. Casper M, Gemmar P, Gronz O, Josht M, Stuber M. Fuzzy logic-based rainfall-runoff modelling using soil moisture measurements to represent system state, *Journal-des Sciences Hydrologiques* 2007;52:478-490.
5. Chu HJ, Chang LC. Application of the optimal control and fuzzy theory for dynamic groundwater remediation design. *Water Resources Management* 2008;20(4):647-660.
6. Chau KW, Wu CL, Li YS. Comparison of several flood forecasting models in Yangtze River. *J Hydrol. Eng* 2005;10(6):485-491.
7. P Hema Sekhar, Dr. Kesavulu Poola, K Raja Sekhar, Dr. M Bhupathi Naidu. Modelling and prediction of coastal Andhra rainfall using ARIMA and ANN models. *Int J Stat Appl Math* 2020;5(6):104-110.
8. Gopakumar R, Mujumdar PP. A fuzzy dynamic wave routing model. *Hydrological Processes* 2008;22(10):1564-1572.
9. Lohani AK, Goel NK, Bhatia KKS. Comparative study of neural network, fuzzy logic and linear transfer function techniques in daily rainfall runoff modeling under different input domains. *Hydrol. Process* 2011;25:175-193.
10. Maskey S, Guinot V, Price RK. Treatment of precipitation uncertainty in rainfall-runoff modelling: a fuzzy set approach. *Advances in Water Res* 2004;27:889-898.
11. GP Pokhariyal. Importance of moderating and intervening variables on the relationship between independent and dependent variables. *Int J Stat Appl Math* 2019;4(5):01-04.
12. O'Loughlin G, Huber W, Chocat B. Rainfallrunoff processes and modelling. *J Hyd. Res* 1996;34(6):733-751.
13. Özger M. Comparison of fuzzy inference systems for stream flow prediction. *Hydrol. Sci. J* 2009;54(2):261-273.
14. Sajikumar N, Thandaveswara BS. A nonlinear rainfall-runoff model using artificial neural networks. *J Hydrol* 1999;216:32-55.
15. Şen Z, Altunkaynak A. A comparative fuzzy logic approach to runoff coefficient and runoff estimation." *Hydrol. Processes* 2006;20(9):1993-2009.
16. Tayfur G, Singh VP. *ANN and Fuzzy Logic Models for Simulating Event-Based Rainfall* 2006.
17. Diskin MH, Ince M, Kwabena ON. Parallel cascades model for urban watersheds. *Journal of Hydraulics*